

## Erratum to: New LHC benchmarks for the $\mathcal{CP}$ -conserving two-Higgs-doublet model

Howard E. Haber<sup>1,a</sup>, Oscar Stål<sup>2</sup>

<sup>1</sup> Santa Cruz Institute for Particle Physics, University of California, Santa Cruz, CA 95064, USA

<sup>2</sup> Department of Physics, The Oskar Klein Centre, Stockholm University, 106 91 Stockholm, Sweden

© The Author(s) 2016. This article is published with open access at Springerlink.com

**Erratum to: Eur. Phys. J. C (2015) 75:491**  
**DOI 10.1140/epjc/s10052-015-3697-x**

In Eqs. (11) and (12), replace  $2m_{12}^2$  with  $m_{12}^2$ . The corrected equations read:

$$Y_1 = m_{11}^2 c_\beta^2 + m_{22}^2 s_\beta^2 - m_{12}^2 s_{2\beta} \cos \xi, \quad (11)$$

$$Y_2 = m_{11}^2 s_\beta^2 + m_{22}^2 c_\beta^2 + m_{12}^2 s_{2\beta} \cos \xi. \quad (12)$$

At the end of the caption to Figure 2, the following sentence should be added: “Note that the constraints from Fig. 1 have *not* been imposed here.”

**Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.  
Funded by SCOAP<sup>3</sup>.

The online version of the original article can be found under  
doi:[10.1140/epjc/s10052-015-3697-x](https://doi.org/10.1140/epjc/s10052-015-3697-x).

<sup>a</sup> e-mail: [haber@scipp.ucsc.edu](mailto:haber@scipp.ucsc.edu)